



- 1 **Option of attaching a lug**
- clamp can also function as a fixing clip or retaining clamp
- 2 **Clamp supplied without bolts**
- bolts can be selected individually
- 3 **Straightforward clamp structure**
- pipe protection
- easy to handle

Exhaust pipe clamps in accordance with DIN 71555

NORMACONNECT® RS/DIN exhaust pipe clamps are an alternative to NORMACONNECT® ARS clamps. They ensure an equally secure connection for pipes that are fitted into one another. Additionally, the straight-forward clamp structure of the RS/DIN version allows a lug to be attached to it, meaning that it can also be used as a fixing clip.



Advantages at a glance

- ✓ Safe system for connecting pipes that are fitted to one another
- ✓ Can also be used as a fixing clip or retaining clamp
- ✓ In accordance with DIN 71555

Applications

- Agricultural machines
- Building machines
- Engine manufacturing

Materials

W1	W2	W3	W4	W5
x		x*	x*	x*

* On request.

Material	Corrosion resistance in salt spray testing
W1	Min. 144 h

Bolts

The scope of delivery does not include fastening bolts or nuts. Sizes M8 or M10 are required.

Technical data & Ordering information

NORMACONNECT® RS/DIN			
Band width	Designation	Clamping diameter in mm	W1 Product No.
20	RS 30.2 DIN 71555	30.2	0550 7000 030
	RS 32.2 DIN 71555	32.2	0550 7000 032
	RS 35.2 DIN 71555	35.2	0550 7000 035
	RS 37.2 DIN 71555	37.2	0550 7000 037
25	RS 40.3 DIN 71555	40.3	0550 7000 040
	RS 42.3 DIN 71555	42.3	0550 7000 042
	RS 45.5 DIN 71555	45.5	0550 7000 045
	RS 48.5 DIN 71555	48.5	0550 7000 048
	RS 50.5 DIN 71555	50.5	0550 7000 050
	RS 53.5 DIN 71555	53.5	0550 7000 053
	RS 55.5 DIN 71555	55.5	0550 7000 055
	RS 58.5 DIN 71555	58.5	0550 7000 058
	RS 60.5 DIN 71555	60.5	0550 7000 060
	RS 63.5 DIN 71555	63.5	0550 7000 063
	RS 65.5 DIN 71555	65.5	0550 7000 065
	RS 68.5 DIN 71555	68.5	0550 7000 068
30	RS 70.5 DIN 71555	70.5	0550 7000 070
	RS 73.5 DIN 71555	73.5	0550 7000 073
	RS 75.5 DIN 71555	75.5	0550 7000 075
	RS 78.5 DIN 71555	78.5	0550 7000 078
	RS 85.5 DIN 71555	85.5	0550 7000 085
	RS 89.5 DIN 71555	89.5	0550 7000 089
	RS 90.5 DIN 71555	90.5	0550 7000 090
	RS 94.5 DIN 71555	94.5	0550 7000 094
	RS 100.5 DIN 71555	100.5	0550 7000 100
	RS 104.5 DIN 71555	104.5	0550 7000 104
	RS 110.5 DIN 71555	110.5	0550 7000 110